

Osage fills the gap: The quantity insensitive iamb & the typology of feet*

Daniel Altshuler
Rutgers University
daltshul@rci.rutgers.edu

TABLE OF CONTENTS

1.0	INTRODUCTION.....	2-8
2.0	AN INTRODUCTION TO THE OSAGE DATA	
2.1	<i>Background.....</i>	8
2.2	<i>Consonants and vowels.....</i>	8-9
2.3	<i>Syllable structure</i>	
2.3.1	Coda avoidance.....	10-11
2.3.2	Obstruent clusters.....	11-12
2.4	<i>Evidence for stress.....</i>	12-14
2.4.1	Vowel duration.....	15-17
2.4.2	Amplitude.....	17-19
2.4.3	Fundamental frequency.....	19-21
3.0	THE DEFAULT STRESS PATTERN.....	21-22
3.1	<i>Argument #1: The default pattern is not initial stress.....</i>	22-23
3.2	<i>Argument #2: The default pattern is not initial stress.....</i>	23-25
4.0	FOOT STRUCTURE: EVIDENCE FOR THE QI IAMB.....	25-30
4.1	<i>The quantity insensitive iamb.....</i>	30-33
4.2	<i>'Window' effects.....</i>	33-36
4.3	<i>Competition within the 'window'.....</i>	36-39
4.4	<i>Interaction between stress and tone.....</i>	39-41
5.0	REJECTING A TROCHAIC ANALYSIS: INVOKING AN INITIAL EXTRAMETRICALITY EFFECT.....	41-45
6.0	THE GAP IS FILLED: THE TYPOLOGY OF FEET.....	45-49
7.0	CONCLUSION.....	49
8.0	THE APPENDICES	
8.1	<i>Appendix A: Word list.....</i>	50-51
8.2	<i>Appendix B: Vowel duration.....</i>	52-54
8.3	<i>Appendix C: Amplitude.....</i>	55-57
8.4	<i>Appendix D: Fundamental Frequency.....</i>	57-61
	REFERENCES.....	62-65
	ACKNOWLEDGEMENTS.....	65

ABSTRACT

This paper presents evidence for the *quantity-insensitive* (QI) iamb, the existence of which is important because it fills an empirical gap that while is generally denied-is predicted by many extant prosodic theories (e.g. Prince & Smolensky 1993/2004, McCarthy & Prince 1993, Halle & Vergnaud 1987). Given the standard view that QI trochees exist, QI iambs in Osage show that whether a foot is right or left-headed in a given language is *independent* of whether stress in that language is affected by the moraic make-up of syllables (contra the standard view).

The claim that QI iambs exist is not new, but until now there has been no unambiguous evidence for them. Previously cited cases either do not have a contrast between long and short vowels and/or can be reanalyzed as trochaic. Osage is the first clear case with QI iambic feet.

KEYWORDS: Siouan, Osage, stress/accent, tone, iamb, quantity (in)sensitive, foot typology, Optimality Theory

1.0 Introduction

It is generally held in the literature that if stress in a given language is affected by the quantity distinction of syllables, then this language can have iambic (right-headed) and/or trochaic (left-headed) feet.¹ However, if stress in a given language is *not* affected by the quantity distinction of syllables, then this language must have trochaic feet. For example, Hayes (1995: 268) writes: “...consider the mirror image of the even iamb, the syllabic trochee. Here, we find cases where a quantity distinction exists, but stress is nevertheless assigned to every other syllable, irrespective of quantity...In contrast, there appear to be no cases of this sort among iambic systems.”

An example of a language that has the syllabic trochees described by Hayes is Gooniyandi (McGregor 1990, 1993; Kager 1992; Elías-Ulloa 2006), where the distinction between long and short vowels isn't translated into weight distinction for footing. As illustrated in (1), trochees are parsed left-to-right with stress surfacing on every odd-

¹ For example, the foot type (iamb or trochee) in Yidiñ is predictable based on the quantity distinction of syllables (see Dixon 1977, Kager 2006).

numbered syllable irregardless of the moraic make-up of syllables. Note that I make the standard assumption that a syllable is heavy (“H”) if and only if it is at least bimoraic; a syllable is light (“L”) if and only if it is monomoraic. For the purposes of this paper, what is crucial is that a syllable with a long vowel is necessarily heavy.

(1) Gooniyandi

a.	/LH/	→ ('LH)	'ngabo:	‘father’
b.	/LL/	→ ('LL)	'baga	‘burr’
c.	/HL/	→ ('HL)	'bo:lga	‘owl’
d.	/HH/	→ ('HH)	'do:mbō:	‘old man’
e.	/LLLH/	→ ('LL)(_i LH)	'jambin_ibaro:	‘a type of fish’
f.	/LHHH/	→ ('LH)(_i HH)	'babo_iddo:nggo:	‘to the bottom’
g.	/LLLL/	→ ('LL)(_i LL)	'ngiddi_iwarndi	‘across’

Much of the literature on metrical theory over the past two decades has attempted to address the question of whether the lack of *quantity insensitive* (QI) iambs—the iambic counterparts to trochees in (1)—reflects a fundamental property of grammar.² This question is highly non-trivial as a heavy burden is placed on the analyst to rule out the iambs in (2a), while also predicting that a language can have the trochees in (2b).

(2a) IAMBS	*('H'L)	*('H'H)
(2b) TROCHEES	('LH)	('HH)

The traditional view in metrical theory has been that there is a *universal foot inventory*, which is a primitive in every grammar. On this view, language x differs from language y in its selection of foot types from this inventory (Hayes 1985, 1987, 1995; McCarthy & Prince 1986, etc.). If this inventory does not include the iambs in (2a) then it is predicted that no natural language has feet of this type (see Hayes’ (1995) Iambic-

² For example see Hyman (1977), Hayes (1981), (1985), (1987), (1995); McCarthy & Prince (1986); Halle & Vergnaud (1987); Prince (1990); Rice (1992), Kager (1993), (1995a,b), (2006); Alber (1997), (2005); Eisner (1997); Van de Vijver (1998); Revithiadou (2004), etc..

Trochaic Law and the experiments in Rice (1992) for a functional explanation as to why QI iambs are unattested).

More recently, it has been argued that the typology of feet result from the interaction of Optimality Theoretic constraints (Prince & Smolensky 1993, McCarthy & Prince 1993a,b, 1995). On this view, language x differs from language y given that x and y require a different ranking of constraints, which are part of every grammar. To rule out the iambs in (2a), the set of constraints have to be defined in such a way that these foot types are harmonically bounded (Prince & Smolensky 1993, Prince & Samek-Lodovici 2002) by an optimal parse in every language. To the best of my knowledge, no Optimality Theoretic account of feet has been successful in this regard (however, see Eisner 1997 for a different competition-based-theory of feet). For example, Kager (2006) follows Gordon (2002) in arguing that eight unidirectional quantity insensitive systems are predicted by the interaction of Optimality Theoretic constraints that are violated based on whether a prosodic word has: (i) right-headed or left-headed feet, (ii) a rightward or a leftward parse, and (iii) monosyllabic feet or stray syllables.

(3)	QUANTITY INSENSITIVE TROCHEES 45 languages		QUANTITY INSENSITIVE IAMBS 9 languages	
	LEFT-TO-RIGHT 32 languages	RIGHT-TO-LEFT 13 languages	LEFT-TO-RIGHT 4 languages	RIGHT-TO-LEFT 5 languages
STRICTLY BINARY 29 languages	(a) ('σσ)(_i σσ) (b) ('σσ)(_i σσ)σ 14 languages (e.g. Pintupi)	(c) (_i σσ)('σσ) (d) σ(_i σσ)('σσ) 12 languages (e.g. Warao)	(i) (σ' _i σ)(σ' _i σ) (j) (σ' _i σ)(σ' _i σ)σ 3 languages (e.g. Araucanian)	(k) (σ' _i σ)(σ' _i σ) (l) σ(σ' _i σ)(σ' _i σ) unattested
BINARY & UNARY 25 languages	(e) ('σσ)(_i σσ) (f) ('σσ)(_i σσ)(_i σ) 18 languages (e.g. Murinbata)	(g) (_i σσ)('σσ) (h) (σ)(_i σσ)('σσ) 1 language (Biangai)	(m) (σ' _i σ)(σ' _i σ) (n) (σ' _i σ)(σ' _i σ)(_i σ) 1 language (Ojibwa)	(o) (σ' _i σ)(σ' _i σ) (p) (_i σ)(σ' _i σ)(σ' _i σ) 5 languages (e.g. Weri)

The major problem with a theory that derives the typology in (3), is that none of the attested languages in (3) have the iambs in (2a), i.e. (H'L) and (H'H). Moreover, the nine attested languages that can potentially be analyzed as having QI iambs either do not have a contrast between short and long vowels, and/or are subject to a trochaic analysis (see Kager 1989, Hayes 1995).³ Therefore, a theory that derives the typology in (3) clearly lacks empirical basis and it remains an open question whether it over-generates.

The aim of this paper is to argue that any typological theory of feet *must* predict the QI iambs in (2a). The argument rests on data from Osage (Quintero 1977, 1994a,b, 1995, 2001, 2004, 2005, 2006), which is typologically remarkable because it is the first clear case with QI iambic feet. The analysis advocated in this paper is Optimality Theoretic; it is shown that Osage fills the empirical gap that is inherent in a typology that results from the interaction of prosodic constraints in Prince & Smolensky (1993) and McCarthy & Prince (1993a,b, 1995). In addition to impressionistic reports from scholars, I provide measurements of vowel duration, amplitude and fundamental frequency to support my analysis.

The default stress pattern in Osage has primary stress on the peninitial syllable, followed by secondary stress on every other syllable:

- | | | | | |
|-----|----|---------------------------|---|-----------------------------|
| (4) | a. | /nã:-xõ/
by.foot-break | → | [nã:'xõ]
'break by foot' |
| | b. | /ɑ-ɑlē:/
A1S-leave | → | [ɑ:'le:]
'I left' |

³ As noted in Hayes (1995), grammars in which many of these languages are documented do not provide phonological diagnostics to support their transcription and/or offer a limited set of relevant data. A prime example is Araucanian, which is claimed to have even iambs based on a very small sample of data from a single source (Echeverria and Contreras 1965).

- c. /^hpa:ʃtseka/ → [^hpa:ʃtseka]
strawberry 'strawberry'
- d. /ðy:-^hka:mã/ → [ðy:ʰka:mã]
by.hand-ring 'to ring the bell'
- e. /xõ:tse-o-ði:-brã/ → [xõ:tsoði:brã]
cedar-LOC-by.hand-smell 'smoke cedar'

An alternative hypothesis is to say that the default pattern is initial stress and that peninitial stress is lexically marked. At first glance, there seems to be some support for this view since there are words with initial stress in Osage (see (5)); primary stress never surfaces on a syllable other than the first two (i.e. the 'window' for primary stress is the first two syllables).

- (5) a. /ʷa-ðã:wa-a/ → [ʷaðã:wa]
P3P-count-IMPER 'count them!'
- b. /i-^hpi:zi/ → [i^hpi:zi]
with-be.sick 'he's sick with [something]'
- c. /ʰka:wa-a-li:/ → [ʰka:wa:li:]
horse-upon-sit 'horseback riding'
- d. /ʰho:sa:ki/ → [ʰho:sa:ki]
yell 'to yell'
- e. /mĩ:-ðo:pa/ → [mĩ:ðo:pa]
sun-two 'moon'

However, upon a closer inspection, it is clear that this alternative hypothesis is inconsistent with the Osage data. The reason is that a default position can host a distinction between underlyingly stressed and underlyingly unstressed syllables, whereas a non-default position cannot, since it can only host lexically stressed ones. I argue that the affixal alternation patterns in Osage show that it is, in fact, the *second* syllable where this contrast must be admitted; forms with initial stress on the surface are lexically marked. I show that this hypothesis is consistent with the Osage data, predicted by the

interaction between faithfulness constraints preserving lexical stress and markedness constraints that impose a certain prosodic structure.

Subsequently, I argue that the *default obeying* forms (with peninitial stress) in, e.g. (4), are parsed as iambs from left-to-right (see (6)). And crucially, the vowel length distinction in these forms isn't translated into a weight distinction for footing.

- | | | | | |
|-----|----|---------------------------------|-------------------------|--------------------|
| (6) | a. | nã:' xo | (H'L) | 'break by foot' |
| | b. | α:' le: | (H'H) | 'I left' |
| | c. | ^h pa:' ʃtseka | (H'L)L | 'strawberry' |
| | d. | ðy:' ^h ka:mã | (H'H)L | 'to ring the bell' |
| | e. | xõ:' tsoði:brã | (H'L)(H ₁ L) | 'smoke cedar' |

Moreover, *default defying* forms (with initial stress) in, e.g. (5), are also parsed as iambs from left-to-right with a monosyllabic foot at the left edge of the prosodic word: ('σ)(σ₁σ). Things are more complex, however, when default defying forms with an even number of syllables are considered; the proposed analysis is consistent with both an iambic and a trochaic parse, e.g. ('σ)σ vs. ('σσ). This issue is addressed in section 4.3.

In addition to showing that the iambic analysis makes the correct predictions straightforwardly, I also consider and ultimately reject an alternative analysis in which the forms in (6) are parsed as trochees, with a stray syllable at the left edge of the prosodic word: σ('σ), σ('σσ), σ('σσ)σ, etc. The inadequacy of this analysis is that it requires a non-initial stress constraint that makes bizarre typological predictions.

The major contribution of this paper can be summarized as follows: if a language that distinguishes quantity of syllables has iambs, it *does not* necessarily follow that stress placement in that language is affected by the moraic make-up of syllables (contra the

generally held view). In other words, whether a foot is right-headed or left-headed in a given language is *independent* of whether stress in this language is affected by the moraic make-up of syllables.

2.0 An introduction to the Osage data

2.1 *Background*

Osage is a Siouan language that is part of the Dhegiha subgroup, which also includes Omaha-Ponca, Kansa (Kaw) and Quapaw. As noted in Quintero (2004: 2), “Regional variation within Osage is limited. Some slight differences in lexical items are seen among speakers of different districts [in Oklahoma, United States]...but the number of these items is so small as not to constitute reason for positing a separate dialect.” Moreover, “...by nearly everyone’s estimates, there were approximately five to ten [fluent native] speakers of Osage alive in 1996, and these numbers had been reduced by half by the close of the century. Without extensive exploration, it is difficult to decide who is a [fluent] speaker and who is a semispeaker, as the language has lapsed into disuse. Some elders profess to understand Osage, but few claim to be able to speak it.”

The data in this paper comes from eight sources: a grammar of Osage (Quintero 2004), four tape recordings of native speakers of Osage (Quintero 1977, 1994a,b, 2001), two Osage stories (Quintero 1995b, 2006) and a letter written in Osage (Quintero 2005).

2.2 *Consonants and vowels*

The table in (7) illustrates Osage consonants that appear on the surface (see Quintero 2004: 16-37 for more discussion).

(7)	LABIAL	DENTAL	ALVEOLAR	POST-ALVEOLAR	VELAR	GLOTTAL
PLOSIVES	p, ^h p, pʔ, b	t, ^h t			k, ^h k, kʔ	
NASALS	m	n				
FRICATIVES		ʃ	s, z	ʃ, ʒ	x, ɣ	h
AFFRICATES			ts, ^h ts, ts ^h , tsʔ			
APPROXIMANTS	w	l				

The tables in (8) illustrate Osage vowels that appear on the surface.

(8a)	(8b)
i, ī, y	i:, ī:, y:
e	e:
o, ō	o:, ō:
ɑ, ǣ	ɑ:, ǣ:

It is important to note that vowel length is contrastive in Osage; long vowels differ from short vowels in terms of duration (see section 2.4.1). Minimal and near-minimal pairs are illustrated in (9)-(16).

- | | | | | | | | |
|------|----|----------|----------|------|----|-----------------------|--------------------|
| (9) | a. | 'weli | 'oil' | (10) | a. | o'ḏaha | 'follow' |
| | b. | 'we:li | 'head' | | b. | o:'ḏahã | 'you cook' |
| (11) | a. | 'nãye | 'ice' | (12) | a. | 'wats ^h i | 'venereal disease' |
| | b. | 'nã:ye | 'spirit' | | b. | wa:'ts ^h i | 'to dance' |
| (13) | a. | m'it̃se | 'crawl' | (14) | a. | 'waḏy ₁ wĩ | 'buy for them' |
| | b. | ĩ:it̃se | 'face' | | b. | ḏy:'wasy | 'cleanse' |
| (15) | a. | 'fō | 'while' | (16) | a. | 'ista | 'to bless with' |
| | b. | fō:'foḏě | 'always' | | b. | i:'fta | 'eyes' |

The fact that Osage has a length distinction is crucial because it is argued in section 4 that this distinction isn't translated into a weight distinction for footing.

2.3 Syllable structure

2.3.1 Coda avoidance

According to Quintero (2004), the syllabic template for Osage is: ((C)C)V(:). Quintero provides the following evidence that there are no codas in the language:

- (17) a. No known phonological processes indicate syllabification of medial consonants as coda instead of onset.
b. There are no word-final consonants.

More evidence that there are no codas in Osage is a phonological process of *k*-deletion, which is common in Siouan. As illustrated in (18a,b,c) 1st person plural agentive prefix *ãk* is faithfully mapped to the surface when it precedes a vowel. On the other hand, (18d,e,f) illustrate that if *ãk* precedes a consonant, then the final consonant in this prefix is deleted.⁴

(18)	<u>Verbal stem</u>		<u>1st person singular agentive form</u>	
a.	o ^h ka	‘help’	ãk -o ^h ka	‘we help him/her’
b.	aðe:	‘go’	ãk -aðe:	‘we go’
c.	ahi	‘arrive there’	ãk -ahi	‘we arrive there’
d.	ðɑ: $\widehat{\text{ts}}^{\text{h}}$ e	‘eat’	ã -ðɑ: $\widehat{\text{ts}}^{\text{h}}$ e	‘we eat’
e.	tõpe	‘look’	ã -tõpe	‘we look’
f.	kʔy	‘give’	ã -kʔy	‘we give’

Note that an alternative hypothesis is to say that when the 1st person singular agentive prefix *ã* precedes a vowel, *k* is epenthesized in order to avoid vowel hiatus. Such an

⁴ More evidence of coda avoidance is seen in (ii), where *ãk* is an infix that precedes the verbal stem beginning with a consonant.

- (i) /i-xope/ → [ixope]
PREV-lie ‘to lie’
(ii) /i-ãk-xope/ → [ãnãxope]
PREV-A1P-lie ‘we lie’

analysis, however, puts a heavy burden on the analyst to explain why *k* and not some other consonant is epenthesized, especially since vowel hiatus is never resolved by an epenthetic *k* in other environments and to the best of my knowledge, there is no language in which this strategy is employed.

2.3.2 Obstruent clusters

As illustrated in (19) and (20), Osage allows obstruent clusters in the onset both word-initially and word-medially.⁵ Note that these clusters constitute two voiceless segments, which are either stop-fricative or fricative-stop.

- | | | | |
|------|----|-------------|--|
| (19) | a. | 'xtã | 'spill' |
| | b. | 'txã | 'standing' |
| | c. | 'xpeka | 'dull; faded' |
| | d. | 'pʃe | 'pound' |
| | e. | ʃpa:'se | 'you cut' |
| | f. | ʃta:'tse | 'you name' |
| | g. | 'kʃokã | 'second son' |
| | | | |
| (20) | a. | 'opxa | 'elk' |
| | b. | ðy:'kʃi:tse | 'miss [as when throwing or catching a ball]' |
| | c. | ʃkã'ʃkã | 'moving' |
| | d. | 'ʃkõʃta | 'you want' |
| | e. | ðy:'ʃtake | 'to undress' |
| | f. | 'hoxpe | 'to cough' |
| | g. | 'wa:spe | 'to stay' |

The table in (21) summarizes the obstruent consonant clusters in Osage (see Quintero 2004: 26-36 for more discussion).

⁵ Note that various Osage forms violate Sonority Sequencing Principle (e.g. see (19a,c,e,f) and (20c,d,e,f,g,h)). Following Morelli (1999), I assume that SSP is not a universal principle. Morelli characterizes Dakota (Mississippi Valley Siouan) as a Type 5 language in the typology (see chapter 2), i.e. it allows fricative-stop, stop-fricative and stop-stop sequences. Moreover, Altshuler (2005a) characterizes Biloxi (Ohio Valley Siouan, see Einaudi 1976 and references therein) as a Type 5 language as well. As noted by Bob Rankin (p.c.), the initial stop in a stop-stop sequence in Dhegiha Siouan collapsed into the second historically.

(21)

STOP	FRICATIVE	+ FRICATIVE	+ STOP	RESULTING CLUSTER
p		ɣ, ʃ		px, pʃ
t		x		tx
k		x, s, ʃ		kx, ks, kʃ
	ʃ		p, t, k	ʃp, ʃt, ʃk
	x		p, t	xp, xt
	s		p, t, k	sp, st, sk

In summary, Osage has long and short vowels and there are no closed syllables; complex clusters in the onset usually consist of two obstruents.⁶ In the next section, I provide phonetic evidence that there is stress in Osage, correlating with a rise in fundamental frequency (F₀) and increased duration.

2.4 Evidence for stress

In this section I argue that Osage has feet and that foot heads are realized with *stress*, which correlates with a rise in fundamental frequency (F₀) and increased duration. This generalization is in accordance with e.g. Laver (1994), where it is argued that a stressed syllable is one that is made more prominent than other (unstressed) syllables by an exaggeration of one or more of the acoustic parameters of F₀, amplitude and duration. Although both F₀ and duration play a significant role in cuing stress in Osage, it is not

⁶ In addition to obstruent clusters, *br* is productive in Osage, occurring word-initially and word medially as in (i) and (ii).

- (i) ¹**bri**bra ‘I smell cedar’
(ii) ¹pob**ra**ᵛska ‘flatten by shooting’

Moreover, the affricate ¹tʃ also combines with fricatives to yield the clusters in (iii)-(v).

- (iii) wa¹**stʃ**ytse ‘be slow’
(iv) ¹**ʃtse**: ‘you go’
(v) pa:¹**xtse** ‘tie down [e.g. a drum]’

clear which cue is dominant. Moreover, amplitude consistently provides a cue for which syllable carries primary stress; in some forms, amplitude also provides a cue for which syllable carries secondary stress, while in other forms, this is less clear.

As illustrated in (22), two stress patterns were observed: (i) the first syllable is stressed and every other odd-numbered syllable carries secondary stress, and (ii) the second syllable is stressed and every other even-numbered syllable carries secondary stress. In sum, stress always alternates; there is neither clash nor lapse (see sections 2.4.1-2.4.2 for measurements).⁷

(22) Distribution of stress in Osage

- a. $[^1\sigma\sigma, \sigma\sigma\dots]$
b. $[\sigma^1\sigma\sigma, \sigma\dots]$

Another hypothesis explored in section 2.4.3 is that tone is a predictable realization in Osage. It is argued that high tones fall on stressed syllables and on unstressed initial syllables, while low tones fall on all other unstressed syllables:

(23)

MAIN STRESS	ODD # OF σ 'S	EVEN # OF σ 'S
1 st syllable	$\begin{array}{c} \sigma \quad \sigma \quad \sigma \\ \quad \quad \\ H \quad L \quad H \end{array}$	$\begin{array}{c} \sigma \quad \sigma \quad \sigma \quad \sigma \\ \quad \quad \quad \\ H \quad L \quad H \quad L \end{array}$
2 nd syllable	$\begin{array}{c} \sigma \quad \sigma' \quad \sigma \\ \vee \quad \\ H \quad L \end{array}$	$\begin{array}{c} \sigma' \quad \sigma \quad \sigma' \quad \sigma \\ \vee \quad \quad \\ H \quad L \quad H \end{array}$

To measure duration, amplitude and fundamental frequency in Osage, two programs were used: *Praat* (<http://www.fon.hum.uva.nl/praat/>) and *Speech Analyzer* (<http://www.sil.org/computing/speechtools/speechanalyzer.htm>). The data was recorded


⁷ Note that no words containing more than five syllables were measured (mainly due to the fact that such forms are rare) and the forms with five syllables that were, had primary stress on the second syllable (see word list in Appendix A). Therefore, the hypothesis that stress alternates is based on words with no more than two stressed syllables (i.e. first & third and second & fourth).

on analog tapes by Carolyn Quintero (1977, 1994a,b, 2001); the tapes were digitized by Paul de Lacy at mono 16-bit 44100kHz using a tape-deck attached to a Sound Blaster Audigy 2 ZS sound card into WAV format onto a Windows PC using Goldwave 5.06 (<http://www.goldwave.com>). Recordings of three female speakers were used for analysis: Margaret Red Eagle Iron (1912 – 1996), Frances Holding (1917 – 2002) and Myrtle Oberly Jones (1917-1986). The first speaker is recorded reading *Christmas and New Years Greeting* in Osage on one of the tapes (Quintero 1994a), and reciting various Osage words and expressions on the other (Quintero 2001); the second speaker is recorded reciting various Osage words and expressions after listening to Lenora Hamilton (1912-1991) on tape (Quintero 1994a); the third speaker is recorded reciting a vocabulary list and various common expressions in Osage (Quintero 1977).

The generalizations in this section reflect sixty-four words and expressions out of over one hundred fifty that were measured; all but a few of the sixty-four words correspond to the transcription in Quintero (1977, 1994a,b, 2004). Margaret Red Eagle Iron pronounced twenty of these words, Frances Holding pronounced twenty-one, and Myrtle Oberly Jones twenty-three (see Appendix A for the word-list). The main criteria used to select which words to analyze was the quality of the recorded speech. While the most of the recording of Margaret Red Eagle Iron and Myrtle Oberly Jones was clear, the recording of Frances Holding was marginal (some of the words were spoken softly and/or were affected by background noise). Note that the tapes used represent the few available live recordings of Osage and there has been no laboratory work done on this language until now. Although the resources are limited, the consistency in the data nevertheless points to a straightforward analysis.

2.4.1 Vowel duration


When measuring vowel duration, words with similar length and vowel sequences were compared; the consonants differed in various syllables in some of the forms. Crucially, these near-minimal pairs differed as to whether the first or the second syllable carried primary stress (see e.g. *'wakõ₁ðapi* vs. *wa^hkõta* in Appendix B, where a spectrogram analysis is provided). The measurements of vowel duration (in terms of milliseconds) are summarized in (24). The shading indicates the range of attested length of the vowels *a*, *o*, *e* and *i* (as well as their nasal counterparts); although vowels with greater sonority tended to be longer than the less sonorous vowels, this difference is minimal and does not affect the end-point of the ranges below. For example, a high front vowel with primary stress and a low back vowel with secondary stress never overlap in terms of duration. Finally, note that due to phrase final lengthening in some of the forms, the measurements of word-final syllables were not included when determining the ranges.



What is striking about (24) is that short vowels with primary stress often overlap in terms of duration with unstressed long vowels. Moreover, there is a consistent difference in duration between vowels that have primary stress, secondary stress, and vowels that are unstressed.

It is important to note that although there are no quantity adjustments of syllables in Osage, the consonant in the onset appears lengthened in some of the forms. For example, while the first vowel in *wa:ts^hi* is 175 ms. and the second vowel is 162 ms., the first syllable is 227 ms. and the second syllable is 443 ms. In other words, the consonant in the second syllable is longer than the entire initial syllable (see spectrogram below).


(25) *wa:ts^hi* 'dance'



Although the length of the affricate is quite striking, note that aspirated and glottal consonants are significantly longer than other consonants whether or not the syllable is stressed. For example, while the first vowel in (26) is 167 ms. and the second vowel is 128 ms., the first syllable is 214 ms. and the second syllable is 343 ms. In other words,

the consonant in the second syllable is longer than the entire initial syllable even though the first syllable is stressed.

(26) 'wats^hi 'nie 'venereal disease'




The length of ts^h in (25) and (26) suggests that it is intrinsically long and therefore, the appearance of lengthened consonants in strong positions is superficial. Moreover, it's worth noting that the initial stressed *a* in (26) is only eight ms. shorter than the initial unstressed *a*: in (25); the peninitial unstressed *i* in (26) is thirty-four ms. shorter than the peninitial stressed *i* in (25). Assuming that Osage has alternating stress, these facts are expected.

2.4.2 Amplitude


To measure amplitude (in terms of linear magnitude %), words with at least three syllables were measured as well as forms with stressed light syllables, even though the neighboring syllable is heavy. As previously noted, unlike duration and fundamental frequency, amplitude does not provide a consistent cue for which syllable is stressed;

although the vowel with primary stress was consistently the loudest, the increase of the linear magnitude % varied quite a bit when comparing e.g. a stressed and an unstressed vowel in similar contexts. Moreover, the range of the linear magnitude % greatly varied not only from speaker to speaker, but also from word to word (partly due to the quality of the recordings). As a result, there are no numerical generalizations regarding amplitude provided in this paper. Instead, this section provides a few examples where the measurements were consistent with the other cues in terms of which vowel is stressed (see also Appendix C). For example, as illustrated in (27), the peninitial short vowel in *pa:'xo* is louder than the initial long vowel; measurements of vowel length and F_0 indicate that primary stress is on the second vowel.



Moreover, as illustrated in (28), every even syllable is louder than every odd one in *ã'ka^hki|lã:pi*, supporting the hypothesis that stress alternates in Osage.

(28) $\tilde{a}'ka^hki\tilde{l}\tilde{a}:pi$ 'we carry ourselves'



2.4.3 Fundamental frequency


Although the fundamental frequency of all sixty-four words was measured, words with sonorant consonants provided the clearest pitch tracks. The generalization in (29) summarizes the correlation between stress and tone in Osage.

(29) Generalization

A stressed vowel precedes a fall in the pitch contour; word-final stress correlates with a word-final peak in the pitch contour.


As illustrated in (30), the primary stress is on the first syllable, which precedes a fall in the pitch contour.

(30) Initial stress: ${}^{\text{h}}\text{wats}^{\text{h}}\text{i}$



In (31), the first syllable is unstressed and the second syllable has primary stress; both syllables bear a high tone.

(31) Peninitial stress: $\text{wa:}^{\text{h}}\text{ts}^{\text{h}}\text{i}$



Note that the initial high tone in (31) has a higher F_0 than the subsequent high tone, a pattern that is shared by many (though not all) forms.⁸ For more pitch-tracks (including monosyllabic forms and ones with three or more syllables), the reader is referred to Appendix D.

Finally, it is important to note that according to Gandour (1977: 60): “Other factors being equal, vowels (syllables) on low tones are longer than those on high tones...” Since the opposite is true in Osage (i.e. other factors being equal, vowels on high tones are longer than those on low tones), we have further evidence that Osage has stress. That is, Osage data does not contradict Gandour’s generalization if we assume that every stressed vowel is linked to a high tone, which is true of many (if not all) languages with tone and stress (see de Lacy 2002; Yip 2002, 2005, etc.).

3.0 The default stress pattern

Since the ‘window’ for the placement of primary stress in Osage is the first two syllables, only in the first two syllables does lexical stress make a difference. Therefore, there are two possible underlying forms of monosyllabic roots and prefixes and four possible underlying forms for disyllabic roots (see (32)).⁹ Note that stress rather than tone is lexically specified because there is no tonal contrast in the language, and prefixes are not produced in isolation, i.e. their tone depends on their point of inflection. In other words, tone is completely predictable from stress (see section 4.1.4 for an analysis and Appendix D for measurements).

⁸ The tonal down-drift is also observed in Winnebago, a related Siouan language (see Miner 1979, 1989; Hale & White Eagle 1980; Hayes 1995).

⁹ Without any evidence to the contrary, I assume that Osage does not have lexical secondary stress, which is extremely rare cross linguistically (however, see e.g. Liberman & Prince (1979) and Kager (1989) for discussion of stress in English and Hayes (1995) for a discussion of Fijian).

(32) Possible underlying forms

- a. Monosyllabic roots and prefixes: /σ/ or /'σ/
- b. Disyllabic roots: /σσ/, /'σσ/, /σ'σ/, /'σ'σ/

The hypothesis advocated in this paper says that the default stress pattern in Osage has primary stress on the peninitial syllable, followed by secondary stress on every other syllable. As mentioned in section 1, an alternative hypothesis is to say that the default pattern is initial stress and that peninitial stress is lexically marked. At first glance, there seems to be some support for this view since there are words with initial stress in Osage. In this section, two arguments are presented which show that the initial syllable is not where the contrast is admitted. Subsequently, I show that a straightforward iambic analysis of the Osage data is feasible once default peninitial stress is assumed.

3.1 *Argument #1: The default pattern is not initial stress*

The hypothesis refuted in this section says that surface forms with primary stress on the peninitial syllable are lexically specified for stress (default defying), whereas surface forms with primary stress on the initial syllable (default obeying) are not. With this hypothesis in mind, consider the data in (33), where the patient 3rd person plural infix *wa* and the valence infix *wa* must be lexically stressed since the second syllable is stressed on the surface. The same is true in (34), where the second syllable of the verb *ḏa:wa* must be lexically stressed given the surface representation.

- (33) a. /ḏa-'**wa**-k'y / → [ḏa'**wak**'y]
A2S-P3P-give 'you are giving it to them'
- b. /ḏa-'**wa**-k'y/ → [ḏa'**wak**'y]
A2S-VAL-give 'you are giving it to folks'

- (34) /ḏa:'**wa**/ → [ḏa:'**wa**]
count 'to count'

(35) a. /**wa**-ðɑ:¹**wa**/ → [¹**wa**ðɑ:₁**wa**]
P3P-count ‘to count them’

b. /**wa**-ðɑ:¹**wa**/ → [wa¹**ðɑ:**wa]
VAL-count ‘to count things/stuff’

3.2 *Argument #2: The default pattern is not initial stress*

(36) a. /wa:-'**ʃka**/ → [wa:'**ʃka**]
 PREV-do.one's.best 'to do one's best'

b. /wa:-'**ðə-ʃka**/ → [wa:'**ðəʃka**]
 PREV-A2S-do.one's.best 'you do your best'

(i) /o-^hkik-[~]ðøe/ → [o^hkiøðe]
 LOC-REFL-toss 'throw oneself into a place'

(ii)	/ ^l wa - ɔa ˈ wa /	→	[waˈ ɔa wa]
	VAL-count		‘to count things/stuff’
(iii)	/ ^h kik - ɔa ˈ wa /	→	[^h kila ˌwa]
	REFL-count		‘to count yourself’

As illustrated in (37a), the second syllable of *ya:ke* must also be lexically stressed.

Given that the agentive 2nd person singular infix *ða* is lexically stressed in (36b), (37b) illustrates two lexical stresses in the input, but neither surface faithfully.

- (37) a. /ya:'ke/ → [ya:'ke]
 cry 'to cry'
- b. /'ða-ya:'ke/ → [ða'ya:ke]
 A2S-cry 'you cry'

The fact that the lexical stress on the first syllable does not surface faithfully puts an insurmountable burden on the analyst to predict the surface forms in (37).

A possible alternative analysis is to say that the underlying forms in (37) are really those in (38), where the verbal stem has lexical stress on both syllables.

- (38) a. /'ya:'ke/ → [ya:'ke]
 cry 'to cry'
- b. /'ða-'ya:'ke/ → [ða'ya:ke]
 A2S-cry 'you cry'

Given the underlying forms above, the generalization would have to be that given a choice between lexical stress surfacing on the first or second syllable, the latter option is always chosen.

There are (at least) two problems with this analysis. The first problem is that within an Optimality Theoretic analysis, the positional faithfulness constraint in (39) must be stipulated without any independent motivation. That is, positional faithfulness constraints appeal to *prominent* positions such as an edge of a prosodic word (Beckman 1997) and it is far from clear that the second vowel of an input should be characterized in a similar way.

(39) (Putative) positional faithfulness constraint

IDENT ('V₂)

Incur a violation if the peninitial stressed vowel in the input does not correspond to a stressed vowel in the output.

Moreover, the problem presented in the previous section does not go away even if the constraint in (39) is part of the grammar. For example, consider the representation of the verb *ḏa:wa* in (40a). Even if it has lexical stress on both syllables, the forms in (40b) and (40c) still have identical underlying forms but differ in their surface representations.

- | | | | | |
|------|----|------------|---|-------------------------|
| (40) | a. | /ḏa:wa/ | → | [ḏa:wa] |
| | | count | | 'to count' |
| | b. | /wa-ḏa:wa/ | → | [waḏa:wa] |
| | | P3P-count | | 'to count them' |
| | c. | /wa-ḏa:wa/ | → | [waḏa:wa] |
| | | VAL-count | | 'to count things/stuff' |

Given the two arguments presented in this section and with no evidence to the contrary (e.g. from long monomorphemic words, loan words, nonce words, or other morpho-phonology), I conclude that the default pattern in Osage cannot be initial stress. Instead, the default is *peninitial* stress; all forms with initial stress on the surface are lexically marked. In the next section I show that this hypothesis is consistent with the Osage data, predicted by the interaction between faithfulness constraints preserving lexical stress and markedness constraints that require a certain prosodic structure.

4.0 Foot structure: Evidence for the QI iamb

In this section it is argued that the hypothesis under which the default is *peninitial* stress is consistent with the Osage data. In order to argue for this position, I assume that Osage forms with initial and peninitial stress have an iambic parse (for more discussion see section 4.3). Subsequently, I show that the correct predictions are made given the

interaction of Optimality Theoretic constraints. In section 5, a trochaic analysis is considered and shown to entail typologically bizarre stress systems.

Consider the iambic parses in (41)-(46), which illustrate that Osage has every possible arrangement of heavy and light syllables. Crucially, note the contrast in stress placement in (43b) & (44c), as well as (44b) & (45c). Here we see LHL and HLL sequences respectively, but stress differs in its location, showing that a weight distinction among the syllables is not a factor in placement of stress.

(41) Feet with a single light syllable

- | | | | |
|----|-------------------|---------------|--------------|
| a. | 'si | (<u>'L</u>) | 'foot' |
| b. | 'ky | (<u>'L</u>) | 'come back!' |
| c. | 'k [?] y | (<u>'L</u>) | 'give it!' |

(42) Feet with a single heavy syllable

- | | | | |
|----|-------------------|---------------|------------------|
| a. | ^h tse: | (<u>'H</u>) | 'may it be that' |
| b. | 'le: | (<u>'H</u>) | 'he went back' |
| c. | 'hy: | (<u>'H</u>) | 'to send to her' |

(43) Feet with light-heavy syllables

- | | | | |
|----|---|---|------------------------|
| a. | pɑ'xo: | (<u>L'H</u>) | 'mountain |
| b. | o'ðɑ:ka | (<u>L'H</u>)L | 'tell it' (imperative) |
| c. | ^h tseye,ni: | (<u>L</u>)(<u>L₁H</u>) | 'drum' |
| d. | ã'ka:kšĩ: ^h tse | (<u>L'H</u>)(H ₁ L) | 'we missed it' |
| e. | 'oã ₁ ta:sa; ₁ ki | (<u>L</u>)(<u>L₁H</u>)(H ₁ L) | 'freezes hard on me' |

(44) Feet with heavy-light syllables

- | | | | |
|----|--|--|---|
| a. | ĩ:'hõ | (<u>H'L</u>) | 'my mother' |
| b. | ^h pɑ:' ^h tseka | (<u>H'L</u>)L | 'strawberry' |
| c. | 'i ^h pi: ₁ zi | (<u>L</u>)(<u>H₁L</u>) | 'he's sick with something' |
| d. | 'ho:sa; ₁ ki | (<u>H</u>)(<u>H₁L</u>) | 'he yells' |
| e. | xõ: ^h tsoðĩ: ₁ brã | (<u>H'L</u>)(<u>H₁L</u>) | 'smoke cedar' |
| f. | 'oã ₁ ta:sa; ₁ ki | (<u>L</u>)(<u>L₁H</u>)(<u>H₁L</u>) | 'freezes hard on me' |
| g. | ã:'wãla; ₁ xyye | (<u>H'L</u>)(<u>H₁L</u>)L | 'I crunch up my own (e.g. prey) with teeth' |

(45) Feet with light-light syllables

a.	i'tse	(L'L)	'face'
b.	nã'lõlõ	(L'L)L	'call names repeatedly'
c.	'ta:py,ze	('H)(L ₊ L)	'to dry, boil'
d.	'ts'ea,waðe	('L)(L ₊ L)L	'I killed them'
e.	^h pa'syko,ʃa	(L'L)(L ₊ L)	'paisley pattern cloth'
f.	'ta: ^h ka,tamã,zi	('H)(L ₊ L)(L ₊ L)	'I am not hot'
g.	wa'hõĩ,ʒĩka	(L'L)(L ₊ L)L	'orphan'

(46) Feet with heavy-heavy syllables

a.	ɑ:'le:	(H'H)	'I left'
b.	le:'le:pe	(H'H)L	'vomit repeatedly'
c.	ðy:'ta: ^h pa	(H'H)L	'made round'
d.	ka:'mã:pe	(H'H)L	'it rings'
e.	^h ka:wa:,lĩ:	('L)(H ₊ H)	'horseback riding'
f.	ka:'kšĩ:ta,pe	(H'H)(L ₊ L)	'he missed'

In the next section, iambs of the form (H'L) and (H'H) are predicted by ranking a faithfulness constraint that prohibits quantity adjustments of syllable weight over markedness constraints that induce quantity adjustments of syllable weight. Before stating this analysis in detail, however, it is important to note that I assume the restrictions on GEN in (47), which are crucial in restricting the typology of foot types (see Hayes 1987, Selkirk 1995).¹¹

(47) Assumptions about GEN

- a. Every prosodic word has exactly one head foot, e.g. [σσ], [(^lσ)(^lσ)] are not possible candidates (GEN rules out prosodic words that disobey culminativity).¹²
- b. Every foot has exactly one stressed syllable, e.g. [(^lσ'^lσ)], [(^lσ₊σ)] are not possible candidates (GEN rules out foot internal clash).

¹¹ GEN is a function that maps each lexical form into all possible output candidates (Prince & Smolensky 1993).

¹² It has been documented in the literature that some Scandinavian languages as well as Guugu Yimidhirr (Haviland 1979, Kager 1995b, Bye 1996) have words with two main stresses (level stress). However, this phenomenon is controversial at best and for the purposes of this paper, will not be discussed. Thanks to José Elías-Ulloa for pointing this out.

- c. Feet are maximally binary, e.g. $[(\sigma^1\sigma\sigma)]$ is not a possible candidate (GEN rules out unbounded feet).

Moreover, I assume that default obeying forms in Osage that have an even number of syllables as in (48) are predicted by the interaction of the constraints in (49).

(48) /^hpasykoʃa/ → (^hpa'sy)(koʃa) 'paisley pattern cloth'

(49) Markedness constraints

- a. IAMB
Incur a violation if a foot's head is at its left edge (after Prince & Smolensky 1993).
- b. TROCHEE
Incur a violation if a foot's head is at its right edge (after Prince & Smolensky 1993).
- c. HEADFtLEFT
ALIGN (PRWD, L, HEAD/PRWD, L): incur a violation if the head foot in a PrWd is not at the left edge (after McCarthy & Prince 1993b).
- d. HEADFtRIGHT
ALIGN (PRWD, R, HEAD/PRWD, R): incur a violation if the head foot in a PrWd is not at the right edge (after McCarthy & Prince 1993b).

The tableau in (50) illustrates that iambs are parsed left-to-right as opposed to right-to-left given the ranking $HFL \gg HFR$.¹³ Moreover, feet are right-headed as opposed to left-headed given the ranking $IAMB \gg TROCHEE$.

(50)	/ ^h pasykoʃa/	HFL	IAMB	HFR	TROCHEE	REMARKS
	(^h pa'sy)(koʃa)			1	2	iambic parse; head foot at left edge
a.	~ (^h pa ₁ sy)(koʃa)	1 W		0 L	2	head foot at right edge
b.	~ (^h pa ₁ sy)(koʃa)		2 W	1	0 L	trochaic parse

Finally, I assume that default obeying forms in Osage that have an odd number of syllables as in (51) are predicted by the interaction of the constraints in (52). Note that the

¹³ Note that the failed candidates, namely (50a) and (50b), are compared (denoted by “~”) to the optimal candidate (denoted by “☞”). “W” denotes that the optimal candidate wins on a particular constraint, and “L” denotes that the optimal candidate loses; the numbers indicate the total number of violations incurred by the respective candidate. For more discussion, see Prince (2002).

constraints (51c,d) are *gradient*: for every foot, these constraints calculate the distance, gradiently expressed in syllables, between its left (right) edge and the left (right) edge of the prosodic word.

(51) /wahõĩĩĩĩka/ → wa'hõĩĩĩĩka 'orphan'


(52) Markedness constraints

- a. **PARSE-σ**
Incur a violation for every syllable that is not parsed into a foot (after Prince & Smolensky 1993).
- b. **FTBIN-σ**
Incur a violation for every foot that is less than two syllables (after Prince & Smolensky 1993, Elías-Ulloa 2006).
- c. **AFL**
ALIGN (FT, L, PRWD, L): Every foot stands at the left edge of the PrWd. The total number of violation marks equals the sum of all individual violations by feet (after McCarthy & Prince 1993b).
- d. **AFR**
ALIGN (FT, R, PRWD, R): Every foot stands at the right edge of the PrWd. The total number of violation marks equals the sum of all individual violations by feet (after McCarthy & Prince 1993b).

The tableau in (53) illustrates that the ranking FTBIN-σ >> PARSE-σ >> AFL >> AFR ensures that syllables are parsed only into disyllabic feet such that stray syllables appear only at the right edge of the prosodic word.

(53)	/wahõĩĩĩĩka/	FTBIN-σ	PARSE-σ	AFL	AFR	REMARKS
	(wa'hõ)(ĩĩĩĩ)ka		1	2	4	stray syllable
a.	~ (wa'hõ)ĩ(ĩĩĩ)ka		1	3 W	3 L	left edge
b.	~ (wa'hõ)ĩĩĩĩka		3 W	0 L	3 L	three stray syllables
c.	~ (wa'hõ)(ĩĩĩĩ)(ĩ)ka	1 W	0 L	6 W	4	monosyllabic foot

In sum, the default obeying forms in Osage are predicted by the rankings in (54).



4.1 *The quantity insensitive iamb*

As was illustrated in the previous section and repeated below in (55), Osage has iambs of the form (H'L) and (H'H).

- (55) Quantity insensitive iambs
- | | | | | |
|----|---------------|---|-----------------|-------|
| a. | /nã:-xõ/ | → | [nã:'xõ] | (H'L) |
| | by.foot-break | | ‘break by foot’ | |
| | | | | |
| b. | /ɑ:-ale:/ | → | [ɑ:'le:] | (H'H) |
| | A1S-leave | | ‘I left’ | |

The parse in (55a) is predicted by ranking a faithfulness constraint that prohibits quantity adjustments of syllable weight (see (56)) over markedness constraints that induce quantity adjustments of syllable weight (see (57)).

- (56) Faithfulness constraint
 IDENT(LENGTH)
 Incur a violation if for a vowel’s length is x in the input is not faithful to its output correspondent (after McCarthy & Prince 1993b).

- (57) Markedness constraints
- | | |
|----|--|
| a. | WEIGHTTOSTRESS (WTS)
Incur a violation if a heavy syllable is unstressed (after Prince 1990). |
| b. | STRESSTOWEIGHT (STW)
Incur a violation if a stressed syllable is light (after Kager 1999). |

The tableau in (58) illustrates that markedness *pressure* to have stressed heavy syllables and unstressed light syllables does not cause the grammar to make quantity adjustments of syllable weight by lengthening and shortening vowels.

IDENT(L) >> {WTS, STW}

(58)	/nã:-xõ/	IDENT(L)	WTS	STW	REMARKS
	(nã:'xõ)		1	1	heavy σ unstressed; stress on light σ
a.	~ (nã:'xõ:)	2 W	0 L	0 L	F: length

The tableau in (58) illustrates that markedness *pressure* to have stressed heavy syllables and unstressed light syllables does not cause the grammar to parse the disyllabic words as a trochee.

IAMB >> {WTS, STW, TROCHEE}

(59)	/nã:-xõ/	IAMB	TROCHEE	WTS	STW	REMARKS
	(nã:'xõ)		1	1	1	heavy σ unstressed; stress on light σ ; iambic parse
a.	~ ('nã:xõ)	1 W	0 L	0 L	0 L	trochaic parse

The form in (55b), repeated below in (60), is predicted given the interaction between the faithfulness constraints in (61), which ban deletion and coalescence respectively, and the markedness constraint in (62), which bans onsetless syllables.¹⁴

(60) /a-ale:/ → [a:'le:] (H'**H**)
A1S-leave 'I left'

(61) Faithfulness constraints

a. MAX

Incur a violation if a segment in the input does not have a correspondent in the output (after McCarthy & Prince 1995).

b. UNIFORMITY

Incur a violation if a segment in the output corresponds to more than one segment in the input (after McCarthy & Prince 1995).

(62) Markedness constraint

ONSET

Incur a violation for every onsetless syllable (after Prince & Smolensky 1993).

¹⁴ Although there are various strategies to resolve vowel hiatus in Osage, (i)-(ii) illustrate that coalescence is the strategy employed when a V1V2 sequence consists of two low back vowels.

- (i) /'a-ã-ka:spe/ → ['ã:ka:spe]
LOC-P1S-cover 'I cover it up'
- (ii) /'wã-'a-tõpe-a/ → ['wã:tõ,pa]
P3P-LOC-look-IMPER 'you [plural], watch over them!'

The tableau in (63) illustrates that given a choice between resolving vowel hiatus via deletion, in which case the initial syllable is light and unstressed, and coalescence, in which case the initial syllable is heavy and unstressed, the ranking $\text{MAX} \gg \{\text{UNIFORMITY}, \text{WTS}\}$ ensures that the latter option is chosen.¹⁵ Moreover, the ranking $\text{ONSET} \gg \text{UNIFORMITY}$ ensures that the vowel hiatus is resolved.

(63)	/ɑ-ɑle:/	ONSET	MAX	UNIFORMITY	WTS	REMARKS
	(ɑ:'le:)			1	1	heavy σ unstressed; coalescence
a.	~ (ɑ:'le:)		1 W	0 L	0 L	F: delete V
b.	~ (ɑ'a)le:	1 W		0 L	1	onsetless σ

In summary feet of the form (H'L) and (H'H) are predicted by the rankings below:

(64) Rankings

- a. IDENT (L) $\gg \{\text{WTS}, \text{STW}\}$ (see (58a))
- b. IAMB $\gg \{\text{TROCHEE}, \text{WTS}, \text{STW}\}$ (see (59a))
- c. MAX $\gg \{\text{UNIFORMITY}, \text{WTS}\}$ (see (63a))
- d. ONSET $\gg \text{UNIFORMITY}$ (see (63b))

In the next two sections, forms with lexical stress are predicted. First, an analysis of the so-called ‘window’ effects is proposed, and subsequently, this analysis is extended to predict forms with underlying stress on the first two syllables.

¹⁵ As illustrated in (i)-(ii), the Osage grammar sometimes resolves vowel hiatus by deletion. However, this only occurs when the sequence V1V2 constitutes a verbal stem and a suffix (or two suffixes). When the sequence V1V2 constitutes a verbal stem and a prefix, neither deletion nor a faithful parse are viable options. A detailed analysis of vowel hiatus resolution in Osage is beyond the scope of this paper and remains open for further research (see Altshuler 2005b for an analysis of V1V2 sequences in Osage that constitute a verbal stem and a prefix; see Casali 1996 for a typological theory of vowel hiatus resolution).

- (i) /ðy:ze-ɑ / → [ðy:'zá]
take-IMPER ‘pick it up; choose one!’
- (ii) /'ni^hte-ɑʒi → ['ni^hta,ʒi]
cold-NEG ‘not cold’

4.2 ‘Window’ effects

The form in (65) illustrates ‘window’ effects in Osage. These effects are evident in environments where lexical stress is not within the first-two-syllable-window, in which case primary stress surfaces on the second syllable by default.

- (65) /ãk-o-ði-**xpaðe**/ → [ã'**koð**i₁**xpai**] (ã'**ko**)(ð*i*₁**xpa**)i
 A1P-LOC-P2S-seprerate ‘we lost you’

Note that the fourth syllable is lexically stressed in (65) given the surface form in (66), where primary stress surfaces on the initial syllable; the third syllable is not specified for stress in (65) given the surface form in (67), where the initial syllable is not stressed; the second syllable in (65) is not specified for stress given the surface form in (68), where the initial syllable is not stressed; the first syllable in (65) is not specified for stress given that is not stressed on the surface.¹⁶

- (66) /**xpaðe**/ → [**xpaðe**]
 separate ‘to separate’
 (67) /ði-**k'y**/ → [ð*i***k'y**]
 P1S-give ‘to give to you’
 (68) /o-**xpaðe**/ → [o'**xpaðe**]
 LOC-separate ‘to lose’

The tableau in (69) illustrates that given an option between the first or the second syllable carrying primary stress, the rankings FTBIN-σ >> PARSE-σ and IAMB >> TROCHEE ensure that the latter option is chosen.

¹⁶ Even though (67) and (68) have lexical stress on the second syllable, the very fact that primary stress is not on the initial syllable on the surface provides evidence that the initial syllable is not lexically stressed. In other words, a syllable is lexically stressed if and only if primary stress falls on that syllable word-initially (see section 4.2 for more discussion).

(69)	/ãk-o-ði-'xpəðe/	FTBIN-σ	IAMB	PARSE-σ	TROCHEE	REMARKS
	(ã'ko)(ði _i xpə _i)i			1	2	F: stress; stray σ
a.	~ ('ã)(ko _i ð _i)(xpə _i i)	1 W		0 L	2	monosyllabic foot
b.	~ ('ãko)(ð _i xpə _i)i		2 W	1	0 L	trochaic parse

Note that I assume that the lexical stress on the optimal candidate surfaces *faithfully* as secondary stress. In other words, I assume that faithfulness to stress is enforced regardless of its degree of prominence. This idea is captured in the definition of the constraint in (70).¹⁷

- (70) IDENT ('V)
Incur a violation if a stressed vowel in the input does not correspond to a stressed vowel in the output (after McCarthy & Prince 1995).

Although (70) does not play an active role in predicting the optimal candidate in (69), things are different when forms like (71) are considered. Here we see that the third syllable carries lexical stress, but only the even syllables are stressed on the surface.

- (71) /wa-py-'sʃtaha/ → (wa'py)(ʃta_iha_i)
VAL-by.pressing-smooth 'iron something'

The tableau in (72) illustrates various candidates, which unlike the optimal candidate faithfully map lexical stress as either primary or secondary.¹⁸ These candidates

¹⁷ Note that cyclic stress in English, in which primary and secondary stress are lexicalized, provides evidence for the constraint in (70). For example, in o'ri_ginal → o_iri_gi'na_ility the primary stress in the base is subordinated and surfaces as a secondary. The crucial observation is that both the optimal candidate o_iri_gi'na_ility and the failed candidate ,ori_gi'na_ility exemplify an unfaithful mapping if faithfulness to lexical stress were enforced based on its degree of prominence. Therefore, without the constraint in (70), the failed candidate is incorrectly predicted to win since it has default initial secondary stress.

However, it is also important to note that trochee words like Arizona, Oklahoma vs. Ladefoged, Aristotle, Studebaker, etc. show that faithfulness to lexical stress may also be enforced based on its degree of prominence. Arguing for this position, however, would take us too far a field, especially since an analysis of the 'window' effects in Osage is possible (albeit different) whether or not faithfulness to lexical stress is enforced based on its degree of prominence. Therefore, I leave this issue open for further research. Thanks to René Kager and Alan Prince for insightful discussions concerning lexical stress.

¹⁸ The third syllable is lexically stressed in the optimal candidate given the surface form in (i), where primary stress surfaces on the initial syllable; the second syllable is not specified for stress given the

illustrate that the grammar does not respond to an unfaithful parse by having a monosyllabic foot at the left edge, a trochee at the right edge, or a misaligned head foot surrounded by two stray syllables.¹⁹

(72)	/wa-py-' ʃ taha/	HFL	IAMB	FtBIN-σ	PARSE-σ	IDENT('V)	REMARKS
☞	(wa' py)(ʃta' ha)					1	default pattern; delete stress on V3
a.	~ ('wa)(py ʃ ta)ha			1 W	1 W	0 L	degenerate foot
b.	~ (wa' py)(ʃ taha)		1 W			0 L	trochaic parse
c.	~ wa(py' ʃ ta)ha	1 W			2 W	0 L	misaligned head foot

The final issue concerning ‘window’ effects that is addressed in this section concerns five-syllable words like those (74), where lexical stress is word-final.²⁰

(73) /a-wi-ð^{hi}-a-'**c**^{hi}/ → (a'**wi**)(brĩ'**a**)c^{hi}
 PREV-I.to.you-have-PREV-arrive.here I brought it to you.

The tableau in (74) illustrates a failed candidate that faithfully maps its lexical stress as secondary (see (74a)). Although it avoids a violation IDENT('V), it has a disyllabic foot at the right edge of the prosodic word and thus violates AFL three times, motivating the ranking AFL >> IDENT ('V).

(74)	/a-wi-ð ^{hi} -a-' c ^{hi} /	AFL	IDENT('V)	REMARKS
☞	(a' wi)(brĩ' a)c ^{hi}	2	1	default pattern; delete stress on V5
a.	~ (a' wi)brĩ(a' c ^{hi})	3 W	0 L	misaligned feet

surface form in (ii), where the initial syllable is not stressed; the first syllable is not specified for stress given that it is not stressed on the surface.


(i) /'**ʃ**taha/ → (py'**ʃ**ta)ha
 smooth 'smooth'

(ii) /py-'**ʃ**taha/ → (py'**ʃ**ta)ha
 by.pressing-smooth 'iron'

¹⁹ To the best of my knowledge, there is no evidence in Osage as to whether HFL dominates IDENT ('V).

²⁰ Evidence that the verbal stem *c^{hi}* is lexically stressed would involve a form where it is stressed word initially on the surface, followed by at least one syllable. Unfortunately, I have not been able to locate such a form (perhaps because *c^{hi}* does not occur in isolation, needing the preverbal prefix *a*). Therefore, (73) should be seen as a hypothetical form used for the purposes of illustrating the ranking in (74),

In summary, ‘window’ effects result from the interaction between the faithfulness constraint IDENT('V), which preserves lexical stress, and markedness constraints, which require a particular prosodic structure. In particular, ‘window’ effects are predicted by the rankings in (75).



In the next section, an analysis of forms with underlying stress on the first two syllables is proposed.

4.3 Competition within ‘the window’

As illustrated in (76), the second syllable is lexically specified for stress given the surface form in (77), in which primary stress surfaces on the initial syllable. Moreover, the first syllable in (76) must be lexically specified for stress given that it is stressed on the surface.²¹

- (76) /**i**-**n**õhpe-a/ → [ˈinõ^h**p**a] (i)(nõ^h**p**a)
 with-afraid-IMPER ‘be careful of’
- (77) /**n**õhpe/ → [ˈnõ^hpe]
 afraid ‘to be afraid’


The placement of stress in (76) is reminiscent of vowel hiatus resolution involving deletion: in an environment such as V₁V₂, the grammar must choose which vowel to

²¹ Since imperative suffix *a* never occurs word-initial, there is no evidence as to whether it is lexically specified for stress. The same is true of all other suffixes in Osage.

delete.²² Analogous to vowel hiatus resolution, the grammar must choose which stress to delete in order to avoid clash. In Osage, stress on the second vowel is deleted. In order to predict this fact, the grammar requires the constraint in (78).²³

- (78) IDENT('V₁)
Incur a violation if a stressed initial vowel in the input does not correspond to a stressed vowel in the output (after Casali 1996).

The tableau in (79) illustrates that given an option to delete stress on the first or second syllable, the ranking IDENT('V₁) >> FTBIN-σ ensures that the former option is chosen. Moreover, both lexical stresses do not surface faithfully (i.e. clash is avoided) given the ranking FTBIN-σ >> IDENT ('V). Note that the constraint PARSE-σ does not play a role since FTBIN-σ dominates it (see (53)).

IDENT('V ₁) >> FTBIN-σ >> IDENT('V)					
(79)	/i-'nõhpe-a/	IDENT ('V ₁)	FTBIN-σ	IDENT ('V)	REMARKS
	('i)(nõ ₁ ^h pa)		1	1	monosyllabic foot; delete stress
a.	~ (i'nõ)pa	1 W	0 L	1	delete stress on V ₁
b.	~ ('i)(nõ)pa		2 W	0 L	two monosyllabic feet

Interestingly, the initial foot must be monosyllabic in words with initial stress and an odd number of syllables viz. the optimal candidate above.²⁴ This generalization is in

²² In the spirit of Prince & Smolensky (1993), Casali (1996: 19-24) proposes that constraints such as PARSE(F)-ISEG and PARSE(F)-LEX dominate the general PARSE(F) to predict vowel hiatus resolution involving deletion.

²³ Note that the constraint in (78) does not strictly speaking fall within Beckman's theory of positional faithfulness, which involve output-input correspondence as opposed to input-output a la Casali 1996. A constraint like OI-IDENT('V₁), which refers to stressed peninitial vowels in the *output* rather than in the input, fails to make the correct predictions for (76); it does not rule out the failed candidate in which stress on the second (and not the first) vowel in the input is mapped onto the surface (i.e. OI-IDENT('V₁) is vacuously satisfied). In order to maintain the Beckman-type analysis, one could treat stress as a binary feature [+/- stress], in which case this failed candidate would be ruled out by the OI-IDENT constraint. However, it is not immediately clear whether such a proposal is superior to positing the constraint in (78), which does not rely on a seemingly *ad hoc* stipulation of treating stress as a binary feature.

accordance with Hayes' (1995) claim that monosyllabic feet must be in strong positions, i.e. the head of a prosodic word. A question that arises, however, is how to parse even-numbered words with initial stress (see (77)). As illustrated in (80), such forms can be parsed with a monosyllabic foot and a stray syllable given that IAMB dominates FTBIN- σ (which in turn dominates PARSE- σ). This ranking ensures that no forms are parsed as trochees in Osage.

(80)	/l'nõhpe/	IAMB	FTBIN- σ	REMARKS
	(^h nõ)pe		1	monosyllabic foot
a.	~ (^h nõ)pe	1 W	0 L	trochaic parse


However, (81) illustrates that even-numbered words with initial stress can also be parsed as trochees given the reverse ranking: FTBIN- σ >> IAMB. Since IAMB dominates TROCHEE, the ranking motivated in (81) ensures that trochees are parsed only to avoid monosyllabic feet.

(81)	/l'nõhpe/	IAMB	FTBIN- σ	REMARKS
	(^h nõ)pe	1		trochaic parse
a.	~ (^h nõ)pe	0 L	1 W	monosyllabic foot

To the best of my knowledge, the Osage data does not provide evidence for how to parse even-numbered words with initial stress. However, this fact does not undermine the goal of this section, namely to argue the Osage data can be predicted straightforwardly under an iambic analysis in which peninitial stress is the default; whether there is one or two rankings that make the correct predictions (albeit with different structural assumptions), this goal is achieved. The required rankings to predict forms with initial stress are summarized in (82). Note that IAMB appears in multiple

²⁴ Note that the only other available parse, namely (^hσσ)(^hσ), is ruled out given that IAMB >> TROCHEE.

places in the hierarchy (attached to a dashed line), reflecting the two possible rankings discussed above.



In the next section, an analysis for the interaction between stress and tone is proposed. Subsequently, it is argued that a trochaic analysis of the data examined thus far ought to be rejected.

4.4 *Interaction between stress and tone*

In section 2.4.3 it was shown that high tones fall on stressed syllables and on unstressed initial syllables, while low tones fall on all other unstressed syllables:

(83)	MAIN STRESS	ODD # OF σ 'S	EVEN # OF σ 'S
a.	1 st syllable	$\begin{array}{c} \sigma \quad \sigma \quad \sigma \\ \quad \quad \\ H \quad L \quad H \end{array}$	$\begin{array}{c} \sigma \quad \sigma \quad \sigma \quad \sigma \\ \quad \quad \quad \\ H \quad L \quad H \quad L \end{array}$
b.	2 nd syllable	$\begin{array}{c} \sigma \quad \sigma \quad \sigma \\ \vee \quad \\ H \quad L \end{array}$	$\begin{array}{c} \sigma \quad \sigma \quad \sigma \quad \sigma \\ \vee \quad \quad \\ H \quad L \quad H \end{array}$

Note that tone is predictable in Osage, so faithfulness constraints that preserve underlying specification of tone do not play an active role in the grammar. Instead the constraints in (84) play a crucial role in predicting the distribution of tone and stress.

(84) Markedness constraints

- a. *NON-HD/H-TONE
Non-head syllables linked to a high tone are prohibited (after de Lacy 2002).
- b. *HD/L
Head syllables linked to a low tone are prohibited (after de Lacy 2002).

The tableau in (85) illustrates that the optimal candidate with primary stress on the first syllable has a perfect “tonal grid”: tones alternate in accordance with stress such that high tones are linked the stressed syllables and low tones are linked to unstressed syllables. The failed candidates in (85a) and (85b) are ruled out by the constraints in (85a) and (85b) respectively.

(85) /'i- ¹ nõhpe-a/	*HD/L	*NON-HD/H	REMARKS
			perfect tonal grid
a. ~ (i)(nõ ^h pa) 	1 W		stressed σ with an L
b. ~ (i)(nõ ^h pa) 		1 W	unstressed σ with an H



The positional markedness constraint in (86) plays a crucial role in predicting the interaction between stress and tone in words with primary stress on the second syllable.

(86) $\sigma_1(\text{H-TONE})^{25}$

Incur a violation if the first syllable in a prosodic word is not linked to a high tone.

²⁵ Although this constraint is undominated in Osage, it is violable since many tone languages have forms in which a high tone is not linked to the first syllable. The role of this constraint in such languages, however, is left open for further research.

The tableau in (87) illustrates that the optimal candidate violates *NON-HD/H since the initial syllable is unstressed but bears a high tone. The failed candidate in (87a) circumvents this violation by linking a low tone to the first syllable, but in doing so, incurs a violation of the constraint in (86). This motivates the ranking $\sigma_1(\text{H-TONE}) \gg * \text{NON-HD/H}^{26}$.

(87) /xo:tse-o-ðĩ:-brã/	$\sigma_1(\text{H})$	*NON-HD/H	REMARKS
		1	unstressed σ with an H tone
a. ~ (xõ:tso)(ðĩ:bra) 	1 W	0 L	initial σ with L tone

In summary, it was shown in this section that the iambic analysis under which the default is *peninitial* stress is consistent with the Osage data. In the next section it is argued that a trochaic analysis is not feasible. Subsequently, the foot typology in section 1 is derived and Osage is placed in this typology.

5.0 Rejecting a trochaic analysis: Invoking an initial extrametricality effect

In the previous section it was shown that the hypothesis under which the default is *peninitial* stress is consistent with the Osage data. The crucial assumption made was that that Osage forms with initial and peninitial stress have an iambic parse. However, a trochaic analysis is also possible in which the second syllable is the default position for stress placement.²⁷ In this section, I argue that such an analysis is unmotivated and highly stipulative at best.

²⁶ Note that I leave out the parse in which the first two syllables are each linked to different high tones, i.e. a candidate that violates the OCP. Note that Myers (1997) argues that candidates of this sort are possible and therefore, in principle, the optimal candidate could be represented in this way.

²⁷ Thanks to Colin Wilson for suggesting the trochaic analysis explored in this section.

(88)		/ʷa-ǰa:wa/	→	(ʷaǰa:)(_l wa)
		P3P-count		‘to count them’
(89)	a.	/wa-ǰa:wa/	→	wa(ʷa:wa)
		VAL-count		‘to count things/stuff’
	b.	/xõ:(tse-o-ǰi:-brã/	→	xõ:(tsoǰi:)(_l brã)
		cedar-LOC-by.hand-smell		‘smoke cedar’

(90) *INITIALSTRESS
Incur a violation if the initial syllable is stressed (after Visch 1996).

²⁸ Note that a related constraint that would achieve this effect is NONINITIALITY (Kennedy 1994, Kenstowicz 1994), which is violated by candidate with a foot at the left edge of the prosodic word. For the purposes of this paper, it is not crucial which constraint is used since the discussion of *INITIALSTRESS in this section also applies to NONINITIALITY.

a language in which there is foot reversal at the left edge of the prosodic word; *initial* iambs, but trochees elsewhere, e.g. (L'L)(LL)(LL). To the best of my knowledge, no such language is attested. In contrast to this generalization, foot reversal has been attested at the opposite edge. For example, Southern Paiute (Sapir 1930, 1949) exemplifies *final* trochees, but iambs elsewhere.²⁹

Moreover, it is important to note if *INITIALSTRESS were to interact with constraints that induce quantity adjustments of syllables, we would also expect there to be a language in which stress falls on the *leftmost* heavy syllable unless it is initial, e.g. HLL'HLH vs. 'HLLL. To the best of my knowledge, no such language is attested either. In contrast to this generalization, it is well known that in Classical Arabic, the *rightmost* nonfinal heavy syllable is stressed; otherwise the initial syllable is stressed (McCarthy 1979).

Finally, it is also predicted that there should be a language in which stress alternates rightward (in a moraic trochee style), with pairs of light syllables to the right of a heavy syllable with clash; words that start with a sequence of light syllables have second syllable stress, i.e. ('H)(LL) vs. L('LL). To the best of my knowledge, no such language is attested. On the other hand, a number of Arabic dialects (e.g. Damascene) have patterns with non-finality, i.e. Latin-like stress with antepenultimate stress if the penult is light.

In sum, there is a contrast in the behavior of stress at the right edge as opposed to the left. The quirky behavior of stress at the right edge motivated Prince and Smolensky to argue that grammar requires NONFINALITY. On the other hand, the non-quirky

²⁹ For more discussion of Southern Paiute, see Hayes (1981, 1995) and Jacobs (1990).

behavior of stress at the left edge has lead many researches to doubt that the effect of initial extrametricality is best explained by a non-initial stress constraint. For example, Hyde 2001 argues that a non-initial stress constraint does not exist and therefore, any analysis that relies on it should be abandoned. Moreover, Van de Vijver 1998 argues that a non-initial stress constraint fails to make the correct predictions for extrametricality effects in Carib. Instead, Van de Vijver proposes the constraint *EDGEMOST, which is violated by stressed syllables at either edge of the prosodic word. However, it is important to note that by itself, *EDGEMOST is unable to predict the Osage data under the trochaic analysis explored in this section. For example, it would not be clear why Osage words with, e.g. four syllables, ever have peninitial stress since both $[\sigma'\sigma\sigma\sigma]$ and $[\sigma\sigma\sigma\sigma]$ incur one violation of *EDGEMOST. In order to predict these forms under the trochaic analysis, the dubious non-initial stress constraint is required.

Finally, it's worth noting that Hayes (1995) analyzes Winnebago, a language with default stress on the *third* syllable, without appealing to rules or constraints that explicitly prohibit stressed initial syllables (or word-initial feet); the extrametrical effect in Winnebago, according to Hayes, results from more general accentual and tonal rules such that “the metrical part of Winnebago phonology becomes typologically ordinary...the analysis does not invoke initial extrametricality, which is quite rare crosslinguistically.” Although Hayes' analysis of Winnebago differs from my analysis of Osage—the initial weak-strong pattern in Osage is due to iambic constituency rather than a tonal flop from a stressed initial vowel to the subsequent one—the crucial point is that in addition to odd

typological predictions, a non-initial stress constraint appears to be spurious even in the analysis of a language with initial extrametrical effects.³⁰

In sum, there is powerful evidence in favor of rejecting an initial-stress constraint.³¹ However, without such a constraint, a very heavy burden is placed on the analyst to justify a trochaic parse of default obeying forms in Osage, especially since vowel length has no effect on foot structure. On the other hand, an iambic parse of these forms is predicted straightforwardly, with no burden to explain initial extrametricality effects. I therefore conclude that the trochaic analysis explored in this section is highly stipulative at best and should be rejected in favor of the iambic analysis.³²

6.0 The gap is filled: the typology of feet

As noted in Kager (2006), eight unidirectional quantity insensitive systems are predicted by the interaction of Optimality Theoretic constraints that are violated based on whether a prosodic word has: (i) right-headed or left-headed feet, (ii) a rightward or a leftward parse, and (iii) monosyllabic feet or stray syllables. The typology discussed in section 1 is

³⁰ However, see Alderete (1995) and Houghton (2006) for purely metrical OT accounts of stress in Winnebago that assume a non-initial stress constraint. Predicting the Winnebago data without such a constraint is beyond the scope of this paper and is left open for further research.

³¹ As noted by Donca Steriade (p.c.), metrical analyses that are grid-only-based rather than foot-based often appeal to a non-initial stress constraint. Therefore, a rejection of such a constraint potentially weakens the grid-only-based approach. Whether or not such is the case, the crucial observation is that a non-initial stress constraint makes odd typological predictions within a grid-only-based theory in addition to foot-based ones: non-attested languages are predicted in which stress falls on the leftmost heavy syllable unless it is initial: HLL'HLH vs. 'HLLL. In sum, a non-initial stress constraint fails to capture the contrast in the behavior of stress at the two edges regardless of whether feet exist.

³² As noted by René Kager (p.c.), one of the major advantages of a foot-based, rather than a grid-only-based theory is that it has the formal tools necessary to address the iambic/trochaic asymmetry, which is meaningless without the existence of feet. Since the view advocated in this paper is that there is no such asymmetry, the burden is placed to provide other evidence for the existence of feet. Such evidence comes from well-known phenomena such as word minima, reduplicant shape, allomorphy, etc (see de Lacy (1996, 2001), Ussishkin (2000), Elías-Ulloa (2004), etc.). More evidence comes from the observation that the head of an iamb lengthens, i.e. /σσ/ → [(σ'σ)], but this never happens with trochees, i.e. /σσ/ → [(σσ)], never *[(σ'σ)]. Thanks to Paul de Lacy for a helpful discussion regarding these issues.

repeated in (91).³³ Note that Osage belongs to the shaded cell below, in which prosodic words have right-headed feet, a rightward parse and no monosyllabic feet (when there is no lexical stress).

(91)	QUANTITY INSENSITIVE TROCHEES 45 languages		QUANTITY INSENSITIVE IAMBS 10 languages	
	LEFT-TO-RIGHT 32 languages	RIGHT-TO-LEFT 13 languages	LEFT-TO-RIGHT 4 languages	RIGHT-TO-LEFT 5 languages
STRICTLY BINARY 30 languages	(a) ('σσ)(_i σσ) (b) ('σσ)(_i σσ)σ 14 languages (e.g. Pintupi)	(c) (_i σσ)('σσ) (d) σ(_i σσ)('σσ) 12 languages (e.g. Warao)	(i) (σ'σ)(σ_iσ) (j) (σ'σ)(σ_iσ)σ 4 languages (e.g. Osage, Araucanian)	(k) (σ _i σ)(σ'σ) (l) σ(σ _i σ)(σ'σ) unattested
BINARY & UNARY 25 languages	(e) ('σσ)(_i σσ) (f) ('σσ)(_i σσ)(_i σ) 18 languages (e.g. Murinbata)	(g) (_i σσ)('σσ) (h) (_i σ)(_i σσ)('σσ) 1 language (Biangai)	(m) (σ'σ)(σ _i σ) (n) (σ'σ)(σ _i σ)(_i σ) 1 language (Ojibwa)	(o) (σ _i σ)(σ'σ) (p) (_i σ)(σ _i σ)(σ'σ) 5 languages (e.g. Weri)

Kager notes that four patterns exemplify perfect grids (38 languages, e.g. Murinbata, Warao, Araucanian and Weri): they allow neither clash nor lapse. Of the remaining patterns (16 languages) that deviate from rhythmic perfection, Pintupi-type languages allow lapse in final position, while Biangai-type languages allow clash between two secondary stresses at the left edge, and Ojibwa at the right edge. The only unattested system that is predicted involves binary iambs going from right to left with a lapse on the initial syllables of odd-numbered forms (see (91-l)).

The rankings in (92) predict the eight systems in (91). Note that the definitions of the eight constraints below were introduced throughout the analysis of Osage, and no new


³³The numbers of languages indicated in each cell of (91) are taken from Gordon (2002).

constraints are needed to predict the typology.³⁴


(92) Rankings that derive the typology in (91)

- | | | |
|----|--|-----------|
| a. | FTBIN- σ >> PARSE- σ >> AFL >> AFR | (see 91a) |
| | HFL >> HFR; TROCHEE >> IAMB | (see 91b) |
| b. | FTBIN- σ >> PARSE- σ >> AFL >> AFR | (see 91c) |
| | HFR >> HFL; TROCHEE >> IAMB | (see 91d) |
| c. | FTBIN- σ >> PARSE- σ >> AFL >> AFR | (see 91i) |
| | HFL >> HFR; IAMB >> TROCHEE | (see 91j) |
| d. | FTBIN- σ >> PARSE- σ >> AFL >> AFR | (see 91k) |
| | HFR >> HFL; IAMB >> TROCHEE | (see 91l) |
| e. | PARSE- σ >> FTBIN- σ and PARSE- σ >> AFR >> AFL | (see 91e) |
| | HFL >> HFR; TROCHEE >> IAMB | (see 91f) |
| f. | PARSE- σ >> FTBIN- σ and PARSE- σ >> AFR >> AFL | (see 91g) |
| | HFR >> HFL; TROCHEE >> IAMB | (see 91h) |
| g. | PARSE- σ >> FTBIN- σ and PARSE- σ >> AFR >> AFL | (see 91m) |
| | HFL >> HFR; IAMB >> TROCHEE | (see 91n) |
| h. | PARSE- σ >> FTBIN- σ and PARSE- σ >> AFR >> AFL | (see 91o) |
| | HFR >> HFL; IAMB >> TROCHEE | (see 91p) |

The tableau in (93) illustrates that left-to-right trochees (see (91a,e)) are predicted by ranking HFL over HFR and TROCHEE over IAMB.

(93)	/σσσσ/	HFL	TROCHEE	HFR	IAMB	REMARKS
	(¹ σσ)(₁ σσ)			1	2	trochaic parse; head foot at left edge
a.	~ (₁ σσ)(¹ σσ)	1 W		0 L	2	head foot at right edge
b.	~ (σ ¹ σ)(σ ₁ σ)		2 W	1	0 L	iambic parse

The tableau in (94) illustrates that the difference between left-to-right trochees and right-to-left trochees (see (91c,g)) is predicted by the reverse ranking of HFR and HFL.

(94)	/σσσσ/	HFR	TROCHEE	HFL	IAMB	REMARKS
	(₁ σσ)(¹ σσ)			1	2	trochaic parse; head foot at right edge
a.	~ (¹ σσ)(₁ σσ)	1 W		0 L	2	head foot at left edge
b.	~ (σ ₁ σ)(σ ¹ σ)		2 W	1	0 L	iambic parse

³⁴ Since the cells in (91) exemplify systems with QI feet, I assume that faithfulness constraints that ban quantity adjustments of syllables are un-dominated in these systems and for the sake of brevity, are not discussed in this section.

The tableau in (95) illustrates that left-to-right iambs (see (91i,k)) are predicted by ranking HFL over HFR and IAMB over TROCHEE.

(95)	/σσσσσ/	HFL	IAMB	HFR	TROCHEE	REMARKS
☞	(σ'σ)(σ _i σ)			1	2	iambic parse; head foot at left edge
a.	~ (σ _i σ)(σ'σ)	1 W		0 L	2	head foot at right edge
b.	~ (σσ)(σ _i σ)		2 W	1	0 L	trochaic parse

The tableau in (96) illustrates that right-to-left iambs (see (94m,o)) are predicted by ranking HFR over HFL and IAMB over TROCHEE.

(96)	/σσσσσ/	HFR	IAMB	HFL	TROCHEE	REMARKS
☞	(σ _i σ)(σ'σ)			1	2	iambic parse; head foot at right edge
a.	~ (σ'σ)(σ _i σ)	1 W		0 L	2	head foot at left edge
b.	~ (σσ)(σ _i σ)		2 W	1	0 L	trochaic parse

The tableau in (97) illustrates that left-to-right trochees with a stray syllable (see (91b)) are predicted by the ranking FTBIN-σ >> PARSE-σ >> AFL >> AFR.

(97)	/σσσσσσ/	FTBIN-σ	PARSE-σ	AFL	AFR	REMARKS
☞	(σσ)(σ _i σ)σ		1	2	4	stray syllable
a.	~ (σσ)σ(σ _i σ)		1	3 W	3 L	misaligned foot
b.	~ (σσ)σσσ		3 W	0 L	3 L	three stray syllables
c.	~ (σσ)(σ _i σ)(σ _i σ)	1 W	0 L	6 W	4	monosyllabic foot

The tableau in (98) illustrates that left-to-right trochees with monosyllabic feet (see (91f)) are predicted by the rankings PARSE-σ >> FTBIN-σ and PARSE-σ >> AFR >> AFL.

(98)	/σσσσσσ/	PARSE-σ	FTBIN-σ	AFR	AFL	REMARKS
☞	(σσ)(σ _i σ)(σ _i σ)		1	4	6	monosyllabic foot
a.	~ (σ _i σ)(σσ)(σ _i σ)		1	6 W	4 L	misaligned foot
b.	~ (σσ)σ(σ _i σ)	1 W	0 L	3 L	3 L	stray syllable

Note that in (97) and (98), the ranking HFL >> HFR ensures that the candidates are parsed from left-to-right; the reverse ranking predicts a right-to-left parse (see (91d, h)). Moreover, the ranking TROCHEE >> IAMB ensures that the feet in (97) and (98) are

trochees; the reverse ranking predicts feet that are iambs (see (91j,l,n,p) as well as the analysis of default obeying forms in Osage in section 4). In sum, the interaction of the eight prosodic constraints considered in this section predicts the eight systems in the foot typology in (91).

7.0 Conclusion

Much of the literature on metrical theory over the past two decades has attempted to address the question of whether the lack of quantity insensitive iambs reflects a fundamental property of the grammar. This question presupposes that the iambs in (99) do not exist.

(99)	(H'L), (H'H)
------	--------------

In this paper, I argued that such a presupposition is not warranted and that any typological theory of feet *must* predict the iambs in (99). The argument rested on data from Osage, which is typologically remarkable because it provides clear and unambiguous evidence for the existence of such feet. The analysis advocated in this paper is Optimality Theoretic; it was shown that Osage fills the empirical gap that is inherent in a typology that results from the interaction of Optimality Theoretic prosodic constraints in Prince & Smolensky (1993) and McCarthy & Prince (1993a,b, 1995).

The major consequence of the argument in this paper is that if a language that distinguishes quantity of syllables has iambs, it *does not* necessarily follow that stress placement in that language is affected by the moraic make-up of syllables (contra the generally held view). In other words, whether a foot is right-headed or left-headed in a given language is *independent* of whether stress in this language is affected by the moraic make-up of syllables.

8.0 The appendices

8.1 Appendix A: Word List

Margaret Red Eagle Iron

(1)	ka:'ma	'the noise a bell makes'
(2)	ðy:'ka:ma	'to ring the bell'
(3)	le:'tã:mã,ze	'Paul's adult name'
(4)	ðy:'wa:sy	'clean'
(5)	la:'skaʒi	'little flower'
(6)	wa:' ^h kõta	'God'
(7)	i:'taða,pe	'she gave birth to him'
(8)	'za:ni	'all'
(9)	ða:'kʔeða,pe	'be kind to'
(10)	'ða:li	'good'
(11)	'wakõ,ðapi	'he wants us'
(12)	ã'ka ^h ki,lã:pi ~ ã'ka ^h ki,laði,pi	'we carry ourselves'
(13)	'oxta,ðe	'to make sacred'
(14)	o'maĩ, ^h ka	'year'
(15)	o'ma,ʒa	'throughout the land'
(16)	'owe:,nã	'grateful'
(17)	'hõ:pa	'day'
(18)	ã'nãðe	'we see'
(19)	ã'nãða,pi	'we saw you'
(20)	'tɒlsa ðy:'xtaða,pai	'They are tearing Tulsa down'

Frances Holding

(1)	wa'nõbre	'to dine'
(2)	wá'tõ è	'something'
(3)	wa:'ts ^h i	'dance'
(4)	ɑ'wa:spe	'I wait'
(5)	i:'fta:	'eye'
(6)	ʒĩ'kaʒi	'child'
(7)	'lipi:	'return here'
(8)	i'ʒike	'son'
(9)	wi'fki	'I too'
(10)	'onãli	'to hurry'

(11)	'ðoha	'almost
(12)	'wa:spe	'to wait, stay'
(13)	'hãtse	'last night'
(14)	ða:'tse	'eat'
(15)	o'tse	'to look for, search'
(16)	'toe	'some'
(17)	o:'pixa	'to blow'
(18)	i:'sta ^h ki ₁ epi	'bless yourself'
(19)	pɑ:'fɔwe	'binding'
(20)	fɪsy:'wasy	'you clean in'
(21)	ɑ'py:xe	'boil'


Myrtle Oberly Jones

(1)	ðy:' ^h leke	'to break into'
(2)	' ^h tá:	'deer'
(3)	ɑ:'ði	'has it'
(4)	i:'ðɑðe	'I saw it'
(5)	'he:	'lice'
(6)	pɑ:'xo	'mountain'
(7)	ði:' ^h ta	'to pull'
(8)	'i ^h tsa ₁ ^h ta:	'rat'
(9)	' ^h ke:	'turtle'
(10)	'ha	'go ahead'
(11)	'ki	'flight like a plane'
(12)	ka:'sa:ki	'to knock someone out'
(13)	'yʒe ₁ wamo ₁ e	'lizard'
(14)	nã:'loxa	'undercover, sneak'
(15)	'ha:kxa ₁ ^h ta	'when'
(16)	'amã ₁ ʃi	'up'
(17)	'milã ₁ ke	'a man marries'
(18)	'ãnã ₁ ʒi	'step on it'
(19)	'niwa ^h tse	'cold'
(20)	'wets [?] a	'snake'
(21)	'wats ^h i 'nie	'venereal disease'
(22)	si:'ka	'squirrel'
(23)	ha:'xi	'blanket'

8.2 Appendix B: Duration


In (1), the vowels in the odd-numbered syllables are shorter than the vowels in the even-numbered syllables. More precisely, the initial vowel is 132 ms., the second vowel is 78 ms., the third vowel is 108 ms., and the fourth vowel is 92 ms.

(1) 'wakõðapi 'he wants us'




In (2), the first vowel is 90 ms., the second vowel is 152 ms., and the third vowel is 98 ms.

(2) wa^hkõta 'God'




In (3), the peninitial vowel is shorter than the vowels in the odd-numbered syllables. More precisely, the initial vowel in is 180 ms., the second vowel is 100 ms. and the third vowel is 150 ms..

(3) 'hɑ:kxɑ₁^hta 'when'




In (4), the vowels in the even-numbered syllables are longer than the vowels in the odd-numbered syllables. More precisely, the initial vowel in is 91 ms., the second vowel is 154 ms., the third vowel is 88 ms. and the fourth vowel is 138 ms..

(4) ǎ'nǎðǎ₁pi 'we saw you'




In (5), the first vowel is 175 ms. and the second vowel is 162 ms..

(5) wɑ:ts^hi 'dance'



As illustrated in (6), the first vowel is significantly longer than the second; the first vowel is 250 ms. and the second vowel is 126 ms..


(6) 'za:ni 'all'



8.3 Amplitude


As illustrated in (1), every even syllable is louder than every odd one.

(1) $\tilde{a}'ka^h ki.l\ddot{a}:pi$ 'we carry ourselves'




As illustrated in (2), every odd syllable is louder than every even one.

(2) $'niwa^h\widehat{tse}$ 'cold'




As illustrated in (3), the initial vowel is louder than the word final one even though the latter one is long.

(3) 'lipi: 'return here'




As illustrated in (4) and (5), the peninitial vowel is louder than the initial one even though the former one is long.

(4) α:'pyxe 'boil'




(5) hɑ:'xĩ 'blanket'




11.0 Appendix D: Fundamental frequency


(1) ǎɑ'kʔeǎɑ,pe 'be kind to'




(2) wa'nõbre 'to dine'




(3) 'talsa ðy:'xtaða,paĩ 'They are tearing Tulsa down'




- (4) kɑ:'ma 'the noise a bell makes'




- (5) ɔ̌y:ʰkɑ:ma 'to ring the bell'




(6) 'oxta,ðe 'to make sacred'




(7) 'onã,li 'to hurry'



(8) 'hɑ 'go ahead'



(9) 'ki 'fly like a plane'



References

- ALTSHULER, DANIEL (2005a) "Filling up the $\sum^{CV(C)}_{del,+del}$ Cell: Evidence from Biloxi", Ms., Rutgers University.
- ALTSHULER, DANIEL (2005b) "Vowel hiatus resolution in Osage", Ms., Rutgers University.
- ALBER, BIRGIT (1997) "Quantity Sensitivity as the Result of Constraint Interaction", in Geert Booij and Jeroen van de Weijer (eds.), *Phonology in Progress-Progress in Phonology, HIL Phonology Papers III*, Holland Academic Graphics, The Hague, pp. 1-45.
- ALBER, BIRGIT (2005) "Clash, Lapse and Directionality", *Natural Language & Linguistic Theory* 23: 485-542.
- ALDERETE, JOHN (1995) "Winnebago accent and Dorsey's law", in Jill N. Beckman, Laura Walsh Dickey, and Suzanne Urbanczyk (eds.), *Papers in Optimality Theory, University of Massachusetts Occasional Papers* 18: 21-51.
- BECKMAN, JILL (1997) "Positional Faithfulness, Positional Neutralisation, and Shona Vowel Harmony", *Phonology* 14.1.
- CASALI, RODERIC (1996) "Resolving Hiatus", PhD dissertation, University of California, Los Angeles.
- DE LACY, PAUL (1996) "Circumscription revisited: an analysis of Maori reduplication", ms. University of Auckland. Rutgers Optimality Archive #133.
- DE LACY, PAUL (2001) "Maximal words in Maori", in Norvin Richards (ed.), *Proceedings of AFLA VIII*, Cambridge, MA.
- DE LACY, PAUL (2002) "The interaction of tone and stress in Optimality Theory", *Phonology* 19: 1-32.
- DIXON, R.M.W. (1977). *A grammar of Yidjñ*. Cambridge: Cambridge University Press.
- ECHEVERRÍA, MAX S., and HELES CONTRERAS (1965) "Araucanian Phonemics", *International Journal of American Linguistics* 31: 132-135.
- EINAUDI, PAULA (1976) *A Grammar of Biloxi*, Garland Publishing, New York & London.
- EISNER, JASON (1997) "FootForm Decomposed: Using Primitive Constraints in OT", MIT Working Papers in Linguistics, ROA-205.
- ELENBAAS, NINE (1999) *A Unified Account of Binary and Ternary Stress*, PhD Dissertation, Netherlands Graduate School of Linguistics, Utrecht, available on Rutgers Optimality Archive, ROA-397, <http://rucss.rutgers.edu/roa.html>
- ELÍAS, JOSÉ (2004) "Variable Syllable Weight and Quantity-Insensitive Allomorphy in Shipibo", in *Proceedings of NELS* 35.
- ELÍAS, JOSÉ (2005) "Theoretical Aspects of Panoan Metrical Phonology: Footing and Syllable Weight", Ph.D. dissertation, Rutgers University.
- EVERETT, DANIEL (2003) "Iambic Feet in Paumari and the Theory of Foot Structure", *Linguistic Discovery* 2: 22-44.
- GANDOUR, JACK (1977) "On the Interaction between Tone and Vowel Length: Evidence from Thai Dialects", *Phonetica* 34: 54-65.
- GORDON, MATTHEW (2002) "A factorial typology of quantity-insensitive stress", *Natural Language and Linguistics Theory* 20: 491-552.
- HALE, KENNETH and JOSIE WHITE EAGLE (1980) "A Preliminary Metrical Account of Winnebago Accent", *International Journal of Linguistics* 46: 117-132.
- HAYES, BRUCE (1981) "A Metrical Theory of Stress Rules", Indiana University Linguistics Club, Bloomington.

- HAYES, BRUCE (1985) "Iambic and Trochaic Rhythm in Stress Rules," in M. Niepokuj, M. VanClay, V. Nikiforidou, and D. Feder, eds., *Proceedings of the 11th Annual Meeting of the Berkeley Linguistics Society*, pp. 429-446.
- HAYES, BRUCE (1987) "A Revised Parametric Metrical Theory", in J. McDonough and B. Plunket, eds., *Proceedings of the North East Linguistics Society* 17: 274-289.
- HAYES, BRUCE (1995) *Metrical Stress theory: principles and case studies*, Chicago: University of Chicago Press.
- HALLE, MORRIS and JEAN-ROGER VERGNAUD (1987) *An Essay on Stress*, MIT Press, Cambridge, MA.
- HOUGHTON, PAULA (2006) "Ternary Stress", Ms., University of Massachusetts, Amherst. Available at: <http://roa.rutgers.edu/view.php?id=1160>
- HYDE, BRETT (2001) "Metrical and Prosodic Structure in OT", Ph.D. Dissertation, Rutgers University.
- JACOBS, HAIKE (1990) "On Markedness and Bounded Stress Systems", *The Linguistic Review* 7: 81-119.
- KAGER, RENÉ (1989) *A Metrical Theory of Stress and Destressing in English and Dutch*, Linguistic Models 14, Foris, Dordrecht.
- KAGER, RENÉ (1992) "Are There Any Truly Quantity-Insensitive Systems?", *Berkeley Linguistics Society* 18.
- KAGER, RENÉ (1993) "Alternatives to the Iambic-Trochiac Law", *Natural Language and Linguistic Theory* 11: 381-432.
- KAGER, RENÉ (1995a), "Book review of Bruce Hayes, *Metrical Stress Theory: Principles and Case Studies*", *Phonology* 12, 437-464.
- KAGER, RENÉ (1995b), "The metrical theory of word stress", in J. Goldsmith (ed.), *The Handbook of Phonological Theory*, Oxford: Basil Blackwell.
- KAGER, RENÉ (2006, forthcoming) "Feet and metrical stress" in Paul de Lacy (ed.), *The Cambridge Handbook of Phonology*. Cambridge University Press, ch.8.
- KENNEDY, CHRISTOPHER (1994) "Morphological alignment and head projection", in Jason Merchant, Jaye Padgett, and Rachel Walker (eds.), *Phonology at Santa Cruz* 3: 47-64.
- KENSTOWICZ, MICHAEL (1994) "Sonority-driven stress", Ms., MIT.
- LAVER, J. (1994) *Principles of phonetics*. Cambridge University Press.
- LIBERMAN, MARK AND ALAN PRINCE (1977) "On Stress and Linguistic Rhythm", *Linguistic Inquiry* 8: 249-336.
- MCCARTHY, JOHN (1979) "On Stress and Syllabification", *Linguistic Inquiry* 10: 443-465.
- MCCARTHY, JOHN AND ALAN PRINCE (1986) "Prosodic Morphology", Ms, Brandeis University, Waltham, Massachusetts, and University of Massachusetts, Amherst.
- MCCARTHY, JOHN AND ALAN PRINCE (1993a) "Prosodic Morphology I: Constraint Interaction and Satisfaction", Ms, University of Massachusetts, Amherst and Rutgers University.
- MCCARTHY, JOHN AND ALAN PRINCE (1993b) "Generalized Alignment", in G.E. Booik and J. van Marle, eds. *Yearbook of Morphology 1993*, Dordrecht, Kluwer, 79-153.
- MCCARTHY, JOHN AND ALAN PRINCE (1995) "Faithfulness and reduplicative identity, in Beckman (1995) *et al.*", pgs. 249-384.

- MINER, KENNETH (1979) "Dorsey's Law in Winnebago-Chiwere and Winnebago Accent," *International Journal of American Linguistics* 45:25-33.
- MINER, KENNETH (1979) "Winnebago Accent: The Rest of the Data," *Anthropological Linguistics* 31: 148-172.
- MORELLI, FRIDA (1999) "The Phonotactics and Phonology of Obstruent Clusters in Optimality Theory", Ph.D. Dissertation, University of Maryland.
- MYERS, SCOTT (1997) "OCP effects in Optimality Theory", *NLLT* 15: 847-892.
- PRINCE, ALAN (1983) "Relating to the grid", *Linguistic Inquiry* 14:19-100.
- PRINCE, ALAN (1990) "Quantitative Consequences of Rhythmic Organization", in CLS 26-II, *Papers from the Parasession on the Syllable in Phonetics and Phonology*, K. Deaton, M. Noske, and M. Ziolkowski, eds. Chicago Linguistics Society: Chicago, pp. 355-398.
- PRINCE, ALAN (2002) Arguing Optimality in *Papers in Optimality Theory II*, Coetzee, Andries, Angela Carpenter and Paul de Lacy (eds). UMass, Amherst. ROA-536.
- PRINCE, ALAN AND PAUL SMOLENSKY (1993) *Optimality theory: Constraint interaction in generative grammar*, ms, Rutgers University and University of Colorado, Boulder.
- PRINCE, ALAN AND VIERI SAMEK-LODOVICI (2002) "Fundamental Properties of Harmonic Bounding", RuCCS-TR-71, updated as ROA-785.
- QUINTERO, CAROLYN (1977) "Transcription of *Tape 150*", Osage document, transcribed by Carolyn Quintero.
- QUINTERO, CAROLYN (1994a) "Transcription of *Tape 52*", Osage document, recorded and transcribed by Carolyn Quintero.
- QUINTERO, CAROLYN (1994b) "Transcription of *Tape 61*", Osage document, recorded and transcribed by Carolyn Quintero.
- QUINTERO, CAROLYN (1995) "Transcription of *The Letter*", Osage document, transcribed by Carolyn Quintero.
- QUINTERO, CAROLYN (2001) "Transcription of *Tape 147*", Osage document, recorded and transcribed by Carolyn Quintero.
- QUINTERO, CAROLYN (2004) *Osage Grammar*, University of Nebraska Press.
- QUINTERO, CAROLYN (2005) "Transcription of *The Raccoons and the Craw-fish*", presented at the 25th Annual Siouan and Caddoan Languages Conference (SCLC), Kaw City, Oklahoma, June 17th-18th, 2005.
- QUINTERO, CAROLYN (2006) "Transcription of *The Devouring Mountain*, Osage Myth, recorded by James Dorsey, transcribed into Modern Osage by Carolyn Quintero, assisted by Daniel Altshuler.
- REVITHIADOU, ANTHI (2004) "The Iambic/Trochaic Law revisited", in B. Arsenijevic, N. Elouazizi, M. Salzmann & Mark de Vos (eds.), *Leiden Papers in Linguistics* 1.1: 37-62.
- RICE, CURT (1992) "Binarity and ternarity in metrical theory: Parametric extensions", Ph.D. Dissertation, University of Texas.
- USSISHKIN, ADAM (2000) "The Emergence of Fixed Prosody", Ph.D. dissertation, University of California, Santa Cruz.
- VIJVER, RUBEN VAN DE (1998) *The Iambic Issue: Iambs As a Result of Constraint Interaction*, Den Haag: Holland Academic Graphics.

- VISCH, ELLIS (1996) “Carib Lengthening”, in M. Nespor and N. Smith (eds.), *Dam Phonology. HIL phonology papers II*, Den Haag: Holland Academic Graphics.
- YIP, MOIRA (2002) *Tone*, Cambridge University Press.
- YIP, MOIRA (2006, forthcoming) “Tone”, in Paul de Lacy (ed.), *The Cambridge Handbook of Phonology*. Cambridge University Press.

* First and foremost, I would like to thank Alan Prince, for his encouragement throughout my research on stress in Osage, starting in Phonology 2 at Rutgers and continuing as the chair of the committee for my qualifying paper. Moreover, I’d like to thank the rest of the committee members: Akin Akinlabi and Paul de Lacy. Special thanks to Carolyn Quintero and Bob Rankin for help with the Osage data and very enlightening discussions; without their help this paper would not be possible. Many thanks to José Elías Ulloa, Carlos Fasola, Jeffrey Heinz, Paula Houghton, René Kager and Colin Wilson for comments on previous drafts. Finally, thanks to John Koontz, Nazarré Merchant, Sarah Murray, Michael O’Keefe, Vieri Samek-Lodovici, Curt Rice, Lisa Selkirk, Donca Steriade, Bruce Tesar and the audiences of HUMDRUM 2006, RORG, RULing 1, and SCLC 25 for insightful discussions and questions that led to various revisions. I take full responsibility for any errors.